

Unsere Autoren: Romy Scheller, Tim Schneider, Christian Kern\* und Jörg Hinrichs  
*Universität Hohenheim, Institut für Lebensmittelwissenschaft und Biotechnologie, Stuttgart*  
*\*Bühler Group, Uzwil, Schweiz*

## **Analogprodukte zu Käse Zusammensetzung, Technologie und Herausforderungen**

### **Literaturverzeichnis**

1. Adachi, M., Kanamori, J., Masuda, T., Yagasaki, K., Kitamura, K., Mikami, B., Utsumi, S., 2003. Crystal structure of soybean 11S globulin: Glycinin A3B4 homo-hexamer. *PNAS* 100, 7395–7400. <https://doi.org/10.1073/pnas.0832158100>
2. Bachmann, H.-P., 2001. Cheese analogues: a review. *International Dairy Journal, Cheese Ripening and Technology* 11, 505–515. [https://doi.org/10.1016/S0958-6946\(01\)00073-5](https://doi.org/10.1016/S0958-6946(01)00073-5)
3. Basse, B., d'Huart, J.-B., Lorand, J.-P., Dupas, J.-P., Saiter, J.-M., 2018. Peanut suspension crosslinking by means of microbial transglutaminase studied with the indentation technique. *Macromolecular Symposia* 382, 1800067. <https://doi.org/10.1002/masy.201800067>
4. BCCDC, 2017. Fermented nut cheese. [http://www.bccdc.ca/resource-gallery/Documents/Educational%20Materials/EH/FPS/Food/Fermented\\_Nut\\_Cheese.pdf](http://www.bccdc.ca/resource-gallery/Documents/Educational%20Materials/EH/FPS/Food/Fermented_Nut_Cheese.pdf), (accessed, 26.8.21)
5. Belén, F., Sánchez, J., Hernández, E., Auleda, J.M., Raventós, M., 2012. One option for the management of wastewater from tofu production: Freeze concentration in a falling-film system. *Journal of Food Engineering* 110, 364–373. <https://doi.org/10.1016/j.jfoodeng.2011.12.036>
6. Bergsma, J., 2019. Vegan cheese analogue. US20190037872A1.
7. Bundesministerium für Gesundheit, 2000. Verordnung über die Behandlung von Lebensmitteln mit Elektronen-, Gamma- und Röntgenstrahlen, Neutronen oder ultravioletten Strahlen (Lebensmittelbestrahlungsverordnung - LMBestV).
8. Cano, A., Jiménez, A., Cháfer, M., González, C., Chiralt, A., 2014. Effect of amylose:amylopectin ratio and rice bran addition on starch films properties. *Carbohydrate Polymers* 111, 543–555. <https://doi.org/10.1016/j.carbpol.2014.04.075>
9. CDC (Centers for Disease Control and Prevention). <https://www.cdc.gov/salmonella/duisburg-04-21/index.html> (accessed, 24.8.2021)
10. Chaleepa, K., Szepes, A., Ulrich, J., 2010. Dry fractionation of coconut oil by melt crystallization. *Chemical Engineering Research and Design* 88, 1217–1222. <https://doi.org/10.1016/j.cherd.2010.01.026>
11. Chavan, R., Jana, A., 2007. CHEESE SUBSTITUTES : An alternative to natural cheese – A review [WWW Document]. URL /paper/CHEESE-SUBSTITUTES-%3A-AN-ALTERNATIVE-TO-NATURAL-Chavan-Jana/0c2972f15cddcb826c9f30ab5b5a6fc0b682fa0f (accessed 25.11.2020).
12. Chen, H.-P., 1993. Effects of glycinin,  $\beta$ -conglycinin, their subunits and storage conditions on tofu sensory characteristics (Doctor of Philosophy). Iowa State University, Digital Repository, Ames. <https://doi.org/10.31274/rtd-180813-11989>
13. Chen, J.M., Al, K.F., Craven, L.J., Seney, S., Coons, M., McCormick, H., Reid, G., O'Connor, C., Burton, J.P., 2020. Nutritional, microbial, and allergenic changes during the fermentation of Cashew 'Cheese' product using a Quinoa-based rejuvelac starter culture. *Nutrients* 12, 648. <https://doi.org/10.3390/nu12030648>
14. Chua, J.-Y., Lu, Y., Liu, S.-Q., 2017. Biotransformation of soy whey into soy alcoholic beverage by four commercial strains of *Saccharomyces cerevisiae*. *International Journal of Food Microbiology* 262, 14–22. <https://doi.org/10.1016/j.ijfoodmicro.2017.09.007>

15. Cornejo-Ramírez, Y.I., Martínez-Cruz, O., Toro-Sánchez, C.L.D., Wong-Corral, F.J., Borboa-Flores, J., Cinco-Moroyoqui, F.J., 2018. The structural characteristics of starches and their functional properties. *CyTA - Journal of Food* 16, 1003–1017. <https://doi.org/10.1080/19476337.2018.1518343>
16. Galindo-Cuspinera, V., Sousa, J.V. de, Knoop, M., 2017. Sensory and analytical characterization of the “cool-melting” perception of commercial spreads. *Journal of Texture Studies* 48, 302–312. <https://doi.org/10.1111/jtxs.12256>
17. García, M.A., Martino, M.N., Zaritzky, N.E., 2000. Microstructural characterization of plasticized starch-based films. *Starch - Stärke* 52, 118–124. [https://doi.org/10.1002/1521-379X\(200006\)52:4<118::AID-STAR118>3.0.CO;2-0](https://doi.org/10.1002/1521-379X(200006)52:4<118::AID-STAR118>3.0.CO;2-0)
18. Gatehouse, J.A., Lycett, G.W., Croy, R.R.D., Boulter, D., 1982. The post-translational proteolysis of the subunits of vicilin from pea (*Pisum sativum* L.). *Biochem J* 207, 629–632. <https://doi.org/10.1042/bj2070629>
19. Ge, J., Sun, C.-X., Corke, H., Gul, K., Gan, R.-Y., Fang, Y., 2020. The health benefits, functional properties, modifications, and applications of pea (*Pisum sativum* L.) protein: Current status, challenges, and perspectives. *Comprehensive Reviews in Food Science and Food Safety* 19, 1835–1876. <https://doi.org/10.1111/1541-4337.12573>
20. Gudmundsson, M., 1994. Retrogradation of starch and the role of its components. *Thermochimica Acta* 246, 329–341. [https://doi.org/10.1016/0040-6031\(94\)80100-2](https://doi.org/10.1016/0040-6031(94)80100-2)
21. Gueguen, J., Chevalier, M., Barbot, J., Schaeffer, F., 1988. Dissociation and aggregation of Pea Legumin induced by pH and ionic strength. *J. Sci. Food Agric.* 44, 167–182
22. Han, B.-Z., Rombouts, F.M., Nout, M.J.R., 2001. A Chinese fermented soybean food. *International Journal of Food Microbiology* 65, 1–10. [https://doi.org/10.1016/S0168-1605\(00\)00523-7](https://doi.org/10.1016/S0168-1605(00)00523-7)
23. Heintze, K., 1950. Über die Hitzebehandlung von Leguminosen und ihre Wirkung auf Geschmack, proteolytische Inhibitoren und biologische Wertigkeit. *Z Lebensm Unters Forch* 91, 100–116. <https://doi.org/10.1007/BF01001872>
24. Hsu, J.T., Satter, L.D., 1995. Procedures for measuring the quality of heat-treated Soybeans. *Journal of Dairy Science* 78, 1353–1361. [https://doi.org/10.3168/jds.S0022-0302\(95\)76757-1](https://doi.org/10.3168/jds.S0022-0302(95)76757-1)
25. Kanauchi, M., Hatanaka, S., Shimoyamada, M., 2015. New cheese-like food production from Soy milk — Utility of Soy milk curdling Yeast, In: Eissa, A.H.A. (Ed.), *Food Production and Industry*. InTech. <https://doi.org/10.5772/60848>
26. Kao, F.-J., Su, N.-W., Lee, M.-H., 2003. Effect of calcium sulfate concentration in Soymilk on the microstructure of firm Tofu and the protein constitutions in Tofu Whey. *J. Agric. Food Chem.* 51, 6211–6216. <https://doi.org/10.1021/jf0342021>
27. Kohyama, K., Sano, Y., Doi, E., 1995. Rheological characteristics and gelation mechanism of Tofu (Soybean Curd). *J. Agric. Food Chem.* 43, 1808–1812. <https://doi.org/10.1021/jf00055a011>
28. Kojiterie, 2020. Mikroorganismen [WWW Document]. Cashewbert. URL <https://www.cashewbert.com/de/learn/fuer-einsteiger/mikroorganismen/?source=facebook> (accessed 21.11.2020).
29. Lakemond, C.M.M., 2001. Heat denaturation of soy glycinin-structural characteristics in relation to aggregation and gel formation. Wageningen University, Wageningen, The Netherlands.
30. Laitram Machinery, 2021, <https://www.laitrammachinery.com/nutpasteurization> (accessed 20.8.2021)
31. Li, R., Wu, Z., Wang, Y., Liu, W., 2014. Pilot study of recovery of whey soy proteins from soy whey wastewater using batch foam fractionation. *Journal of Food Engineering* 142, 201–209. <https://doi.org/10.1016/j.jfoodeng.2014.05.004>
32. Li, Y., Zhang, X., Yang, J.-J., Ma, X.-Y., Jia, X.-D., Du, P., Li, A., 2020. Influence of the addition of *Geotrichum candidum* on the microbial, chemical, textural, and sensory features of soft soy cheese. *Journal of Food Processing and Preservation* e14823. <https://doi.org/10.1111/jfpp.14823>
33. Lim, T., Easa, A., Karim, A., Bhat, R., Liang, M., 2011. Development of soy-based cream cheese via the addition of microbial transglutaminase, soy protein isolate and maltodextrin. *British Food Journal* 113, 1147–1172. <https://doi.org/10.1108/00070701111174587>
34. Lima, J.R., Garruti, D.S., Bruno, L.M., 2012. Physicochemical, microbiological and sensory characteristics of cashew nut butter made from different kernel grades-quality. *LWT - Food Science and Technology* 45, 180–185. <https://doi.org/10.1016/j.lwt.2011.08.018>
35. Liu, C., Teng, Z., Lu, Q.-Y., Zhao, R.-Y., Yang, X.-Q., Tang, C.-H., Liao, J.-M., 2011. Aggregation kinetics and  $\zeta$ -potential of soy protein during fractionation. *Food Research International* 44, 1392–1400. <https://doi.org/10.1016/j.foodres.2011.01.054>

36. Liu, W., Wu, Z.L., Wang, Y.J., Zhao, Y.L., Liu, W.C., Yu, Y., 2013a. Recovery of isoflavones from the soy whey wastewater using two-stage batch foam fractionation. *Ind. Eng. Chem. Res.* 52, 13761–13767. <https://doi.org/10.1021/ie401442t>
37. Liu, W., Zhang, H.X., Wu, Z.L., Wang, Y.J., Wang, L.J., 2013b. Recovery of isoflavone aglycones from soy whey wastewater using foam fractionation and acidic hydrolysis. *J. Agric. Food Chem.* 61, 7366–7372. <https://doi.org/10.1021/jf401693m>
38. Maruyama, N., Katsube, T., Wada, Y., Oh, M.H., Rosa, A.P.B.D.L., Okuda, E., Nakagawa, S., Utsumi, S., 1998. The roles of the N-linked glycans and extension regions of soybean  $\beta$ -conglycinin in folding, assembly and structural features. *European Journal of Biochemistry* 258, 854–862. <https://doi.org/10.1046/j.1432-1327.1998.2580854.x>
39. Mession, J.-L., Sok, N., Assifaoui, A., Saurel, R., 2013. Thermal denaturation of pea globulins (*Pisum sativum* L.)-molecular interactions leading to heat-induced protein aggregation. *J Agric Food Chem* 61, 1196–1204. <https://doi.org/10.1021/jf303739n>
40. Mounsey, J.S., O’Riordan, E.D., 2008. Alteration of imitation cheese structure and melting behaviour with wheat starch. *Eur Food Res Technol* 226, 1013–1019. <https://doi.org/10.1007/s00217-007-0626-8>
41. Mthembu, S.N., Sharma, A., Albericio, F., Torre, B.G. de la, 2020. Breaking a couple: Disulfide reducing agents. *ChemBioChem* 21, 1947–1954. <https://doi.org/10.1002/cbic.202000092>
42. Nobell Foods, 2021. <https://www.nobellfoods.com/> (accessed 26.8.2021)
43. Obatolu, V.A., 2008. Effect of different coagulants on yield and quality of tofu from soymilk. *Eur Food Res Technol* 226, 467–472. <https://doi.org/10.1007/s00217-006-0558-8>
44. O’Kane, F.E., Happe, R.P., Vereijken, J.M., Gruppen, H., van Boekel, M.A.J.S., 2004. Heat-induced gelation of pea legumin: comparison with soybean glycinin. *J Agric Food Chem* 52, 5071–5078. <https://doi.org/10.1021/jf035215h>
45. Ono, T., Katho, S., Mothizuki, K., 1993. Influences of Calcium and pH on protein solubility in Soybean milk. *Bioscience, Biotechnology, and Biochemistry* 57, 24–28. <https://doi.org/10.1271/bbb.57.24>
46. Owiredun, I., Laryea, D., Barimah, J., 2014. Evaluation of cashew nut flour in the production of biscuit. *Nutrition & Food Science* 44, 204–211. <https://doi.org/10.1108/NFS-06-2013-0067>
47. Oyeyinka, A.T., Odukoya, J.O., Adebayo, Y.S., 2019. Nutritional composition and consumer acceptability of cheese analog from soy and cashew nut milk. *Journal of Food Processing and Preservation* 43, e14285. <https://doi.org/10.1111/jfpp.14285>
48. Reinkensmeier, A., Bußler, S., Schlüter, O., Rohn, S., Rawel, H.M., 2015. Characterization of individual proteins in pea protein isolates and air classified samples. *Food Research International, Grain legumes - Science, Technology and Impacts on Human Health* 76, 160–167. <https://doi.org/10.1016/j.foodres.2015.05.009>
49. Ricci, L., Umiltà, E., Righetti, M.C., Messina, T., Zurlini, C., Montanari, A., Bronco, S., Bertoldo, M., 2018. On the thermal behavior of protein isolated from different legumes investigated by DSC and TGA. *Journal of the Science of Food and Agriculture* 98, 5368–5377. <https://doi.org/10.1002/jsfa.9078>
50. Saraco, M.N., Blaxland, J., 2020. Dairy-free imitation cheese: is further development required? *British Food Journal* 122, 3727–3740. <https://doi.org/10.1108/BFJ-11-2019-0825>
51. Tarmizi, A.H.A., Siew, W.L., Kuntom, A., 2008. Production of palm oil reference materials for the determination of solid fat content. *Journal of Food Quality* 31, 673–685. <https://doi.org/10.1111/j.1745-4557.2008.00227.x>
52. Thanh, V.H., Shibasaki, K., 1977. Beta-conglycinin from soybean proteins. Isolation and immunological and physicochemical properties of the monomeric forms. *Biochimica et Biophysica Acta (BBA) - Protein Structure* 490, 370–384. [https://doi.org/10.1016/0005-2795\(77\)90012-5](https://doi.org/10.1016/0005-2795(77)90012-5)
53. Tharanathan, R.N., Mahadevamma, S., 2003. Grain legumes—a boon to human nutrition. *Trends in Food Science & Technology* 14, 507–518. <https://doi.org/10.1016/j.tifs.2003.07.002>
54. Violife Foods, 2020. UNSERE PRODUKTE | Violife Foods [WWW Document]. Violife Foods. URL <https://violifefoods.com/de/unsere-produkte/> (accessed 25.11.2020).
55. Wilmersburger, 2020. Wilmersburger vegane Alternative zu Käse - Scheiben [WWW Document]. Wilmersburger. URL <https://www.wilmersburger.de/produkte/scheiben> (accessed 25.11.2020).
56. Wu, C., Ma, W., Hua, Y., 2019. The relationship between breaking force and hydrophobic interactions or disulfide bonds involved in heat-induced soy protein gels as affected by heating time and temperature. *International Journal of Food Science & Technology* 54, 231–239. <https://doi.org/10.1111/ijfs.13931>

57. Yang, R., Liu, M., Liu, Y., Meng, D.-M., Ma, T., Wang, C.-T., Liu, J., Wang, Q., Zhou, Z., 2020. The structure and stability analysis of the pea seed legumin glycosylated by oligochitosan. *Journal of the Science of Food and Agriculture*. <https://doi.org/10.1002/jsfa.10715>
58. Yuan, D.-B., Min, W., Yang, X.-Q., Tang, C.-H., Huang, K.-L., Guo, J., Wang, J.-M., Wu, N.-N., Zheng, H.-G., Qi, J.-R., 2010. An improved isolation method of Soy  $\beta$ -Conglycinin subunits and their characterization. *Journal of the American Oil Chemists' Society* 87, 997–1004. <https://doi.org/10.1007/s11746-010-1583-0>